



## Features

- Edge control
- Suitable for applications in high quality equipment
- Additional models and versions available; e.g., inscribed knob
- Carbon resistive element

# 0037 - Rotary Potentiometer

### Characteristics

Mechanical Angle.....240 ° ±5 °  
 Starting Torque.....0.5 to 1.5 Ncm  
 End Stop Strength.....10 Ncm max.  
 Resistance Range  
 .....100 ohms to 4.7 megohms  
 Resistance Taper.....Linear  
 Power Rating .....0.15 W  
 Temperature Range.....-10 °C to +70 °C  
 Rotational Life.....20,000 cycles

### Standard Resistance Table

Resistance (Ohms)	Resistance Code
100	101
220	221
470	471
1,000	102
2,200	222
4,700	472
10,000	103
22,000	223
47,000	473
100,000	104
220,000	224
470,000	474
1,000,000	105
2,200,000	225
4,700,000	475


### How to Order

**0037 - 006 - A B 103**

Model Type \_\_\_\_\_  
 • 0037  
 Terminal Style and Knob Version \_\_\_\_\_  
 • 006 (Other knobs available upon request)  
 Independent Linearity \_\_\_\_\_  
 A = ±5 %  
 Element Taper \_\_\_\_\_  
 B = Linear Carbon ±20 %  
 M = Linear Carbon ±30 %  
 Resistance Code \_\_\_\_\_  
 Other versions available upon request.


### Product Dimensions

#### 0037-006



### Recommended PCB Layout

DIMENSIONS ARE:  $\frac{\text{MM}}{\text{(INCHES)}}$



11/07

\*RoHS Directive 2002/95/EC Jan 27 2003 including Annex

For more information about this product, visit our website at:

[www.potentiometers.com](http://www.potentiometers.com)